



Full-Span Landing, Configuration 01
Slat ds=30 deg, gs/c=0.015, hs/c=0.015
Flap df=25 deg, gf/c=0.015, of/c=0.005

	CONF	MMODREF	RNMODREF	Runs	Averaged
○ —————	01	0.1529	3.6091	96, 97	
□ —————	01	0.1507	8.6748	91, 95	
◇ —————	01	0.1496	14.718	89, 90	
○ - - - - -	01	0.1529	3.6091	96, 97	
□ - - - - -	01	0.1507	8.6748	91, 95	
◇ - - - - -	01	0.1496	14.718	89, 90	



Full-Span Landing, Configuration 01
Slat ds=30 deg, gs/c=0.015, hs/c=0.015
Flap df=25 deg, gf/c=0.015, of/c=0.005

	CONF	MMODREF	RNMODREF	Runs	Averaged
○ —————	01	0.1529	3.6091	96, 97	
◇ —————	01	0.1507	8.6748	91, 95	
□ —————	01	0.1496	14.718	89, 90	
□ - - - - -	01	0.1529	3.6091	96, 97	
◇ - - - - -	01	0.1507	8.6748	91, 95	
○ - - - - -	01	0.1496	14.718	89, 90	



Full-Span Landing, Configuration 01
Slat ds=30 deg, gs/c=0.015, hs/c=0.015
Flap df=25 deg, gf/c=0.015, of/c=0.005

