



Full-Span Landing, Configuration 27
Slat ds=30 deg, gs/c=0.010, hs/c=0.015
Flap df=25 deg, gf/c=0.015, of/c=0.005

	CONF	MMODREF	RNMODREF	Runs Averaged
○ —————	27	0.1516	3.5843	64, 65, 66
□ —————	27	0.1503	8.6007	67, 68
◇ —————	27	0.1498	14.742	69, 70, 71, 72
○ - - - - -	27	0.1516	3.5843	64, 65, 66
□ - - - - -	27	0.1503	8.6007	67, 68
◇ - - - - -	27	0.1498	14.742	69, 70, 71, 72



Full-Span Landing, Configuration 27
Slat ds=30 deg, gs/c=0.010, hs/c=0.015
Flap df=25 deg, gf/c=0.015, of/c=0.005

	CONF	MMODREF	RNMODREF	Runs Averaged
○	27	0.1516	3.5843	64, 65, 66
□	27	0.1503	8.6007	67, 68
◇	27	0.1498	14.742	69, 70, 71, 72
○	27	0.1516	3.5843	64, 65, 66
□	27	0.1503	8.6007	67, 68
◇	27	0.1498	14.742	69, 70, 71, 72



Full-Span Landing, Configuration 27
Slat ds=30 deg, gs/c=0.010, hs/c=0.015
Flap df=25 deg, gf/c=0.015, of/c=0.005

