



Full-Span Landing, Configuration 29
Slat ds=30 deg, gs/c=0.015, hs/c=0.015
Flap df=25 deg, gf/c=0.020, of/c=0.005

	Run	CONF	MMODREF	RNMODREF		
○	RUN112	29	0.149896	3.61515	CL_UN	vs ALPHA_UN
○	RUN112	29	0.149896	3.61515	CL	vs ALPHA
□	RUN108	29	0.149639	8.3661	CL_UN	vs ALPHA_UN
□	RUN108	29	0.149639	8.3661	CL	vs ALPHA
◇	RUN105	29	0.149403	14.2521	CL_UN	vs ALPHA_UN
◇	RUN105	29	0.149403	14.2521	CL	vs ALPHA



Full-Span Landing, Configuration 29
Slat ds=30 deg, gs/c=0.015, hs/c=0.015
Flap df=25 deg, gf/c=0.020, of/c=0.005

	Run	CONF	MMODREF	RNMODREF		
○	RUN112	29	0.149896	3.61515	CPM_UN	vs ALPHA_UN
○	RUN112	29	0.149896	3.61515	CPM	vs ALPHA
□	RUN108	29	0.149639	8.3661	CPM_UN	vs ALPHA_UN
□	RUN108	29	0.149639	8.3661	CPM	vs ALPHA
◇	RUN105	29	0.149403	14.2521	CPM_UN	vs ALPHA_UN
◇	RUN105	29	0.149403	14.2521	CPM	vs ALPHA



Full-Span Landing, Configuration 29
Slat ds=30 deg, gs/c=0.015, hs/c=0.015
Flap df=25 deg, gf/c=0.020, of/c=0.005

