



Full-Span Landing, Configuration 30
Slat ds=30 deg, gs/c=0.015, hs/c=0.015
Flap df=30 deg, gf/c=0.015, of/c=0.005

	CONF	MMODREF	RNMODREF	Runs Averaged
○ —————	30	0.1516	3.5843	121, 128, 129
□ —————	30	0.1503	8.6007	122, 123, 127
◇ —————	30	0.1498	14.742	130, 131, 135, 136
○ - - - - -	30	0.1516	3.5843	121, 128, 129
□ - - - - -	30	0.1503	8.6007	122, 123, 127
◇ - - - - -	30	0.1498	14.742	130, 131, 135, 136



Full-Span Landing, Configuration 30
Slat ds=30 deg, gs/c=0.015, hs/c=0.015
Flap df=30 deg, gf/c=0.015, of/c=0.005

	CONF	MMODREF	RNMODREF	Runs	Averaged
○ ———	30	0.1516	3.5843	121, 128, 129	
□ ———	30	0.1503	8.6007	122, 123, 127	
◇ ———	30	0.1498	14.742	130, 131, 135, 136	
○ - - - -	30	0.1516	3.5843	121, 128, 129	
□ - - - -	30	0.1503	8.6007	122, 123, 127	
◇ - - - -	30	0.1498	14.742	130, 131, 135, 136	



Full-Span Landing, Configuration 30
Slat ds=30 deg, gs/c=0.015, hs/c=0.015
Flap df=30 deg, gf/c=0.015, of/c=0.005

