



Part-Span Landing, Configuration 40
Slat ds=30 deg, gs/c=0.015, hs/c=0.015
Flap df=25 deg, gf/c=0.010, of/c=0.005

	Run	CONF	MMODREF	RNMODREF		
○	—	RUN336	40	0.152241	3.62072	CL_UN vs ALPHA_UN
○	- - -	RUN336	40	0.152241	3.62072	CL vs ALPHA
□	—	RUN334	40	0.150634	8.65158	CL_UN vs ALPHA_UN
□	- - -	RUN334	40	0.150634	8.65158	CL vs ALPHA
◇	—	RUN332	40	0.150354	11.6301	CL_UN vs ALPHA_UN
◇	- - -	RUN332	40	0.150354	11.6301	CL vs ALPHA
△	—	RUN330	40	0.150053	14.7454	CL_UN vs ALPHA_UN
△	- - -	RUN330	40	0.150053	14.7454	CL vs ALPHA



Part-Span Landing, Configuration 40
Slat ds=30 deg, gs/c=0.015, hs/c=0.015
Flap df=25 deg, gf/c=0.010, of/c=0.005

	Run	CONF	MMODREF	RNMODREF		
○	RUN336	40	0.152241	3.62072	CPM_UN	vs ALPHA_UN
○	RUN336	40	0.152241	3.62072	CPM	vs ALPHA
□	RUN334	40	0.150634	8.65158	CPM_UN	vs ALPHA_UN
□	RUN334	40	0.150634	8.65158	CPM	vs ALPHA
◇	RUN332	40	0.150354	11.6301	CPM_UN	vs ALPHA_UN
◇	RUN332	40	0.150354	11.6301	CPM	vs ALPHA
△	RUN330	40	0.150053	14.7454	CPM_UN	vs ALPHA_UN
△	RUN330	40	0.150053	14.7454	CPM	vs ALPHA



Part-Span Landing, Configuration 40
Slat ds=30 deg, gs/c=0.015, hs/c=0.015
Flap df=25 deg, gf/c=0.010, of/c=0.005

